





SYMBOL DEFINITION			MISSING NUMBERS			DWG STATUS			REVISION HISTORY			AUTH												
DATE	STG	REV	N/P	CHG	ZONE	DATE	STG	REV	N/P	CHG	ZONE	DATE	STG	REV	N/P	CHG	ZONE							
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL $\square$ DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON AN INDIVIDUAL COMPONENT DRAWING.						TOTAL NO. OF SYMBOLS ON DRAWING	13			14-16.			27AU99			R	001	-	-	ALL ACTIVE PARTS - REDRAWN TO PD & ADDED CARRIER STRIP & SEAL ASSEMBLY INFORMATION	990009	RGT	CMP	JH
						LAST NO. USED	19			27AU99			R	002	-	-	-	ALL ACTIVE PARTS - LETTER DIM V WAS 20.2	198182	RGT	CMP	JH		
									09JAO3			R	03	-	-	-	SHEET 1 OF 3 WAS SHEET 1 OF 2	230755	ECB	JAA	AGL			
									29N004			R	04	-	-	-	15305232 - REVISED MATERIAL CODE	261521	END	END	BG			
									21FE05			R	05	-	-	-	ALL ACTIVE PARTS - UPDATED MAT'L SPECS: REVISED MATING BLADE TOLERANCE (NOTE#2): 7.05+0.3-0.2 WAS 7.05+0.25-0.3 & ADDED NOTE #5	264738	END	END	BG			
									06JN05			R	06	-	-	-	REVISED GRAPHICS	268139	MJM	MJM	BG			
									270C06			R	07	-	-	-	UPDATED PDM ATTRIBUTES	286199	MM	MM	BG			




TYPE 101




TYPE 103  
SAME AS TYPE 101  
EXCEPT AS SHOWN



TYPE 104  
SAME AS TYPE 103  
EXCEPT AS SHOWN



SCALE 5:1



CARRIER STRIP VIEW  
SCALE 2:1

- NOTES:
- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION. (SEE MATH MODEL FOR PRECISE DIMENSION) FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
  - RECOMMENDED MATING BLADE 0.8+0.04-0.03 THK X 6.3±0.1 WIDE.
  - THIS PART MATES WITH 12020127 OR EQUIVALENT.
  - "PXX" INDICATES "P" PLUS LAST TWO DIGITS OF MAKE DIE SERIES NUMBER (P01, P02, P03, ETC).
  - TERMINAL TO CRIMP AND RETAIN CAVITY SEAL 12052386 OR EQUIVALENT.

PART NO	STG	REV	N/P	STATUS	MAT'L SIZE	MAT'L SPEC	PART NO	STG	REV	N/P	STATUS	MAT'L SIZE	MAT'L SPEC	SIZE (MM²)	ID	DIA	TYPE	
					15317332	R 03 AA						0.406 X 33.32	M363902B NONFERROUS C70250 TMOO	6-4	10	5.24	104	
					15317331	R 03 AA						0.406 X 33.32	M157402B NONFERROUS C42500 EX HD	6-4	10	5.24	103	
					15305232	R 02 AA						0.406 X 33.32	M363902B NONFERROUS C70250 TMOO	5-3	11	5.24	101	
					12052458	R F -	OBSOLETE					0.406 X 33.32	P151902B 425 TIN BRS EX HD SN PLTD	3	12	4.9	101	
					12052457	R 08 AA						0.406 X 33.32	M157402B NONFERROUS C42500 EX HD	0.8-0.5	19	2.68	102	
					12052456	R 09 AA						0.406 X 33.32	M157402B NONFERROUS C42500 EX HD	5-3	11	5.24	101	
					12052455	R 07 AA						0.406 X 33.32	M157402B NONFERROUS C42500 EX HD	2-1	15	3.59	101	
																	3.7 ± 0.4	19.79 ± 0.3

(13) PROCESS SENSITIVE DIMENSION	
DIMENSIONS ENCLOSED IN ( ) INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE LIMITS ARE ESTABLISHED	
DIMENSIONAL FRAMES (MM) CHART D	
FROM + 0 TO 12	>12
TOLERANCE UNLESS OTHERWISE SPECIFIED	
±0.1	±0.2
ANGULAR TOLERANCE ±2°	

PART DRAWING	
STYLE	
VOLUME 10/1	DISTR CODE
	D
UNLESS OTHERWISE SPECIFIED	
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS MODIFIED BY THE IN CHARGE DIMENSIONING AND TOLERANCE PRACTICES - 1997. ALL DIMENSIVE TOLERANCES AND RELATED DATUMS APPLY. REF. FILE # (PREF) FROM AT THE END OF THE DIMENSION LINE. DIMENSIONAL TOLERANCES ARE ESTABLISHED BY ORIENTATION OR LOCATION TOLERANCES. SPACED POSITION CALLOUTS MAY BE SHOWN SEPARATELY, REGARDLESS OF DATUM REFERENCE.	
ALL DIMENSIONS ARE IN MILLIMETERS	
THIRD ANGLE PROJECTION	DO NOT SCALE
USE MATH DATA	UNIMPHAS

**DELPHI**  
DELPHI PACKARD ELECTRIC SYSTEMS  
WARREN, OH

DR	DATE
APV01 ANDY T. LE	22JL88
APV02 J. COLDSNOW	22JL88
APV03 R. D. KEARNS	31AUB8
APV04	
APV05	

MATERIAL: SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 10949001

SEE CHART

DRAWING NAME: TAXI TERM F M/P 630 SEALED TANG

DRAWING NUMBER: 12088013

SIZE: A0 SCALE: 10:1 FRAME NO: 1 OF 1 SHEET NO: 1 OF 3 REV: N/P