

USED IN ASSEMBLY	MATING CONFIG DETAIL	MATING NON-DELPHI PART NUMBER	MATING DELPHI PART NUMBER	PREVIOUS PART NUMBER
-	15336047	-	15326853, 15326854	-

ASSOCIATED PARTS		
PART NUMBER	QTY	DESCRIPTION
15317832	1	LOCK CPA AXIAL
15430903	1	LOCK SECONDARY TPA GT

SEE NOTE #1

CAVITY INFORMATION					
CAVITY NAME	TERMINAL	CABLE SEAL	CAVITY PLUG	*INSULATION CRIMP HEIGHT	*INSULATION CRIMP WIDTH
A-H, J-M	12191818	15366021	15305171	-	-

SEE NOTE #3

SEE NOTE #2

#### NOTES

1. THIS CONNECTION MEETS OR EXCEEDS SAE/ USCAR-2 AUGUST 1997, SECTION 5.3.1.2, TERMINAL DISENGAGE CRITERIA WITH THE APPLICATION OF A TERMINAL POSITION ASSURANCE (TPA) SECONDARY LOCK.
2. SEE TAXI DRAWING 12191815 FOR ADDITIONAL TERMINAL APPLICATIONS.
3. CABLE SEAL SELECTION DEPENDS ON THE TERMINAL AND CABLE SIZE USED. SEE DRAWING 12191225 FOR ADDITIONAL CABLE SEAL SELECTIONS. THE SEALING CAVITY CONFIGURATION FOR THIS CONNECTOR IS "4.0MM DIAMETER ROUND".

<b>DELPHI</b>	
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE WARREN, OH	
APVD1 J.R. BARRIENTOS	DATE 27MR09
APVD2 R.A. PUHL	10AP09
PUBLISHED DATE 03AP09	
DRAWING NAME ASM CONN 12 F GT 150 SLD	
DRAWING NUMBER <b>15326849</b>	

**APPLICATION DRAWING**  
UNLESS OTHERWISE SPECIFIED

WHEN APPLICABLE, EQUIVALENT PART NUMBERS MAY BE SUBSTITUTED FOR ANY OF THE PART NUMBERS SHOWN IN THE CHARTS ON THIS DRAWING.

\* THE VALUES REPRESENT THE CAVITY CAPABILITIES. THE ACTUAL TERMINAL CRIMP DIMENSIONS MUST BE LESS THAN THE VALUES SHOWN.