



| WAYTEK PART NUMBER   | BUNDLE DIAMETER   |                       | A<br>IN (mm)<br>+/- .030 (.762mm) | B<br>IN (mm)<br>+/- .005<br>(.127mm) | C<br>IN (mm)<br>+/- .005<br>(.127mm) | D<br>IN (mm)<br>+/- .020<br>(.508mm) | E<br>IN (mm)<br>+/- .020<br>(.508mm)                      | F<br>IN (mm)<br>+/- .005<br>(.127mm) | MIN LOOP<br>TENSILE<br>LBS (n)                     | ANSI/UL 94 MH<br>FLAMABILITY<br>RATING | PLENUM RATING |  |
|--|-------------------|-----------------------|-----------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|---|--------------------------------------|--|--|---------------|--|
|  | MIN IN (mm)       | MAX IN (mm)           |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
| 21092, UV BLACK  | 1.500<br>(38.1mm) | 7.18<br>(182.3mm)     | 25.25 (641.350mm)                 | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
| 21072, NATURAL   | 1.500<br>(38.1mm) | 7.18<br>(182.3mm)     | 25.25 (641.350mm)                 | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
| 21598, UV BLACK  | 1.500<br>(38.1mm) | 11.000<br>(279.400mm) | 37.250 (946.150mm)                | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
| 21578, NATURAL   | 1.500<br>(38.1mm) | 11.000<br>(279.400mm) | 37.250 (946.150mm)                | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
| 21599, UV BLACK  | 1.500<br>(38.1mm) | 14.500<br>(368.300mm) | 48.562 (1233.474mm)               | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
| 21579, NATURAL   | 1.500<br>(38.1mm) | 14.500<br>(368.300mm) | 48.562 (1233.474mm)               | .090<br>(2.286mm)                    | .340<br>(8.636mm)                    | .555<br>(14.097mm)                   | .335<br>(8.509mm)   | .550<br>(13.970mm)                   | 175 (778)  | V-2                                    | AH-2          |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |
|  |                   |                       |                                   |                                      |                                      |                                      | WAYTEK – 175 LB. (778n)<br>EXTRA HEAVY DUTY CABLE<br>TIES |                                      | <b>MATERIAL:</b><br><br><b>NYLON 6/6 POLYAMIDE</b> |  |               |  |
|  |                   |                       |                                   |                                      |                                      | SHEET 1 OF 1                         | <b>REV.: A</b>  |                                      | DRAWING NO.: 175-A                                 |  |               |  |
| A  | 12/22/14          | JA                    | KT                                | KT                                   | INITIAL RELEASE                      |                                      | DRAWN BY  | DATE                                 | CHECK  | SCALE                                  |               |  |
| REV  | DATE              | BY                    | CHK                               | APPROVE                              | DESCRIPTION                          |                                      | JA  | 12/22/2014                           | KT   | NONE                                   |               |  |
| <b>CONFIDENTIAL PROPERTY OF WAYTEK</b><br>THIS DRAWING IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF WAYTEK |                   |                       |                                   |                                      |                                      |                                      |   |                                      |  |  |               |  |